Annex B. Quick reference to CropWatch indicators, spatial units and methodologies

The following sections give a brief overview of CropWatch indicators and spatial units, along with a description of the CropWatch production estimation methodology. For more information about CropWatch methodologies, visit CropWatch online at www.cropwatch.com.cn.


Agroecological zones for 47 key countries


Overview


230 agroecological zones for the 47 key countries across the globe

Description

47 key agricultural countries are divided into 230 agro-ecological zones based on cropping systems, climatic zones, and topographic conditions. Each country is considered separately. A limited number of regions (e.g., region 001, region 027, and region 127) are not relevant for the crops currently monitored by CropWatch but are included to allow for more complete coverage of the 47 key countries. Some regions are more relevant for rangeland and livestock monitoring, which is also essential for food security.







CropWatch indicators

The CropWatch indicators are designed to assess the condition of crops and the environment in which they grow and develop; the indicators—RAIN (for rainfall), TEMP (temperature), and RADPAR (photosynthetically active radiation, PAR)—are not identical to the weather variables, but instead are value-added indicators computed only over crop growing areas (thus for example excluding deserts and rangelands) and spatially weighted according to the agricultural production potential, with marginal areas receiving less weight than productive ones. The indicators are expressed using the usual physical units (e.g., mm for rainfall) and were thoroughly tested for their coherence over space and time. CWSU are the CropWatch Spatial Units, including MRUs, MPZ, and countries (including first-level administrative districts in select large countries). For all indicators, high values indicate "good" or "positive."

		INDICATOR	
BIOMSS			
Biomass ad	cumulation potent	ial	
Crop/ satellite	Grams dry matter/m ² , pixel or CWSU	An estimate of biomass that could potentially be accumulated over the reference period given the prevailing rainfall and temperature conditions.	Biomass is presented as maps by pixels, maps showing average pixels values over CropWatch spatial units (CWSU), or tables giving average values for the CWSU. Values are compared to the average value for the recent fifteen years, with departures expressed in percentage.
CALF			
Cropped a	rable land and crop	ped arable land fraction	
Crop/ Satellite	[0,1] number, pixel or CWSU average	The area of cropped arable land as fraction of total (cropped and uncropped) arable land. Whether a pixel is cropped or not is decided based on NDVI twice a month. (For each four-month reporting period, each pixel thus has 8 cropped/ uncropped values).	The value shown in tables is the maximum value of the 8 values available for each pixel; maps show an area as cropped if at least one of the 8 observations is categorized as "cropped." Uncropped means that no crops were detected over the whole reporting period. Values are compared to the average value for the last five years, with departures expressed in percentage.
CROPPING			
	ntensity Index		
Crop/ Satellite	0, 1, 2, or 3; Number of	Cropping intensity index describes the extent to which arable land is used over	Cropping intensity is presented as maps by pixels or spatial average pixels values for MPZs, 45

246 | CROPWATCH BULLETIN, August 2023

		INDICATOR	
	crops growing	a year. It is the ratio of the total crop	countries, and 7 regions for China. Values are
	over a year for	area of all planting seasons in a year to	compared to the average of the previous five
	-	the total area of arable land.	
	each pixel	the total area of arable land.	years, with departures expressed in percentage.
NDVI	d Difforanco Vagata	tion Index	
	d Difference Vegeta		NDV// is shown as average profiles over time at
Crop/ Satellite	[0.12-0.90]	An estimate of the density of living	NDVI is shown as average profiles over time at the national level (cropland only) in crop
Satemite	number, pixel or	green biomass.	
	CWSU average		condition development graphs, compared with
			previous year and recent five-year average, and
			as spatial patterns compared to the average
			showing the time profiles, where they occur, and
			the percentage of pixels concerned by each
			profile.
RADPAR	, indicator for Dhot	counth stice lh. Asting Dediction (DAD), have	ad on rivel based DAD
		osynthetically Active Radiation (PAR), base	
Weather	W/m², CWSU	The spatial average (for a CWSU) of PAR	RADPAR is shown as the percent departure of the
/Satellite		accumulation over agricultural pixels,	RADPAR value for the reporting period compared
		weighted by the production potential.	to the recent fifteen-year average, per CWSU. For
			the MPZs, regular PAR is shown as typical time
			profiles over the spatial unit, with a map showing
			where the profiles occur and the percentage of
DAIN			pixels concerned by each profile.
RAIN	indicator for rainf	all, based on pixel-based rainfall	
Weather	Liters/m ² , CWSU	The spatial average (for a CWSU) of	RAIN is shown as the percent departure of the
/ satellite	Liters/III-, CW30	rainfall accumulation over agricultural	RAIN is shown as the percent departure of the RAIN value for the reporting period, compared to
/ satemite		pixels, weighted by the production	the recent fifteen-year average, per CWSU. For
		potential.	the MPZs, regular rainfall is shown as typical time
		potential	profiles over the spatial unit, with a map showing
			where the profiles occur and the percentage of
			pixels concerned by each profile.
TEMP			pixels concerned by each promet
	n indicator for air te	mperature, based on pixel-based tempera	ture
Weather	°C, CWSU	The spatial average (for a CWSU) of the	TEMP is shown as the departure of the average
/ satellite	0,01100	temperature time average over	TEMP value (in degrees Centigrade) over the
,		agricultural pixels, weighted by the	reporting period compared with the average of
		production potential.	the recent fifteen years, per CWSU. For the MPZs,
			regular temperature is illustrated as typical time
			profiles over the spatial unit, with a map showing
			where the profiles occur and the percentage of
			pixels concerned by each profile.
VCIx			
	vegetation condition	on index	
Crop/	Number, pixel	Vegetation condition of the current	VCIx is based on NDVI and two VCI values are
Satellite	to CWSU	season compared with historical data.	computed every month. VCIx is the highest VCI
		Values usually are [0, 1], where 0 is	value recorded for every pixel over the reporting
		"NDVI as bad as the worst recent year"	period. A low value of VCIx means that no VCI
		and 1 is "NDVI as good as the best	value was high over the reporting period. A high
		recent year." Values can exceed the	value means that at least one VCI value was high.
		range if the current year is the best or	VCI is shown as pixel-based maps and as average
		the worst.	value by CWSU.
VHI			
Vegetation	health index		
.			

		INDICATOR	
Crop/	Number, pixel	The average of VCI and the	Low VHI values indicate unusually poor crop
Satellite	to CWSU	temperature condition index (TCI), with	condition, but high values, when due to low
		TCI defined like VCI but for	temperature, may be difficult to interpret. VHI is
		temperature. VHI is based on the	shown as typical time profiles over Major
		assumption that "high temperature is	Production Zones (MPZ), where they occur, and
		bad" (due to moisture stress), but	the percentage of pixels concerned by each
		ignores the fact that low temperature	profile.
		may be equally "bad" (crops develop	
		and grow slowly, or even suffer from	
		frost).	
VHIn			
	Vegetation health i		
Crop/	Number, pixel	VHIn is the lowest VHI value for every	Low VHIn values indicate the occurrence of water
Satellite	to CWSU	pixel over the reporting period. Values	stress in the monitoring period, often combined
		usually are [0, 100]. Normally, values	with lower than average rainfall. The spatial/time
		lower than 35 indicate poor crop	resolution of CropWatch VHIn is 16km/week for
		condition.	MPZs and 1km/dekad for China.
СРІ			
	uction Index		
Crop/	Number, pixel	The average crop production situation	Based on the VCIx, CALF, land productivity and
Satellite	to CWSU	for the same period in the past five	area of irrigated and rainfed cropland in the
		years was used as a benchmark to make	current monitoring period and the same period in
		an overall estimate of the current	the past five years for the spatial unit, a
		season's agricultural production	mathematical model proposed by CropWatch is
		situation.	used to calculate the index expressed as a
			normalized value. A value of 1.0 represents the
			basic normal crop production situation in the
			current period for the spatial unit, and the higher
			the value, the better the crop production
			situation in the current period. Conversely, the
			lower the value, the worse the crop production
			situation for the spatial unit in the current period.

Note: Type is either "Weather" or "Crop"; source specifies if the indicator is obtained from ground data, satellite readings, or a combination; units: in the case of ratios, no unit is used; scale is either pixels or large scale CropWatch spatial units (CWSU). Many indicators are computed for pixels but represented in the CropWatch bulletin at the CWSU scale.

CropWatch spatial units (CWSU)


CropWatch analyses are applied to four kinds of CropWatch spatial units (CWSU): Countries, China, Major Production Zones (MPZ), and global crop Monitoring and Reporting Units (MRU). The tables below summarize the key aspects of each spatial unit and show their relation to each other. For more details about these spatial units and their boundaries, see the CropWatch bulletin online resources.

	SPATIAL LUNITS
CHINA	
Overview	Description
Seven monitoring regions	The seven regions in China are agro-economic/agro-ecological regions that together cover the bulk of national maize, rice, wheat, and soybean production. Provinces that are entirely or partially included in one of the monitoring regions are indicated in color on the map below.




Countries (and first-level administrative districts, e.g., states and provinces)

Overview	Description
"Forty six plus one"	CropWatch monitored 47 countries together represent more than 80% of the production of maize, rice, wheat and
countries to	soybean, as well as 80% of exports. Some countries were included in the list based on criteria of proximity to China
represent main	(Uzbekistan, Cambodia), regional importance, or global geopolitical relevance (e.g., four of five most populous
producers/exporters	countries in Africa). The total number of countries monitored is "46 + 1," referring to 46 and China itself. For the
and other key	nine largest countries — United States, Brazil, Argentina, Russia, Kazakhstan, India, China, and Australia, maps and
countries.	analyses may also present results for the first-level administrative subdivision. The CropWatch agroclimatic
	indicators are computed for all countries and included in the analyses when abnormal conditions occur.
	Background information about the countries' agriculture and trade is available on the CropWatch Website,
	www.cropwatch.com.cn.



Major	Production	Zones	(MPZ)
-------	------------	-------	-------


Overview	Description
Six globally	The six MPZs include West Africa, South America, North America, South and Southeast Asia, Western Europe and
important areas of	Central Europe to Western Russia. The MPZs are not necessarily the main production zones for the four crops (maize,
agricultural	rice, soybean, wheat) currently monitored by CropWatch, but they are globally or regionally important areas of
production	agricultural production. The seven zones were identified based mainly on production statistics and distribution of
	the combined cultivation area of maize, rice, wheat and sovbean.



Global Monitoring and Reporting Unit (MRU)

Overview
105agro-
ecological/agro-
economic units
across the world

Description MRUs are reasonably homogeneous agro-ecological/agro-economic units spanning the globe, selected to capture major variations in worldwide farming and crops patterns while at the same time providing a manageable (limited) number of spatial units to be used as the basis for the analysis of environmental factors affecting crops. Unit numbers and names are shown in the figure below. A limited number of units are not relevant for the crops currently monitored by CropWatch but are included to allow for more complete coverage of global production. Additional information about the MRUs is provided online under **www.cropwatch.com.cn**.



Production estimation methodology

The main concept of the CropWatch methodology for estimating production is the calculation of current year production based on information about last year's production and the variations in crop yield and cultivated area compared with the previous year. The equation for production estimation is as follows:

 $Production_i = Production_{i-1} * (1 + \Delta Yield_i) * (1 + \Delta Area_i)$

Where i is the current year, $\Delta Yield_i$ and $\Delta Area_i$ are the variations in crop yield and cultivated area compared with the previous year; the values of $\Delta Yield_i$ and $\Delta Area_i$ can be above or below zero.

For the 47 countries monitored by CropWatch, yield variation for each crop is calibrated against NDVI time series, using the following equation:

$\Delta Yield_i = f(NDVI_i, NDVI_{i-1})$

Where $NDVI_i$ and $NDVI_{i-1}$ are taken from the time series of the spatial average of NDVI over the crop specific mask for the current year and the previous year. For NDVI values that correspond to periods after the current monitoring period, average NDVI values of the previous five years are used as an average expectation. $\Delta Yield_i$ is calculated by regression against average or peak NDVI (whichever yields the best regression), considering the crop phenology of each crop for each individual country.

A different method is used for areas. For China, CropWatch combines remote-sensing based estimates of the crop planting proportion (cropped area to arable land) with a crop type proportion (specific type area to total cropped area). The planting proportion is estimated based on an unsupervised classification of high resolution satellite images from HJ-1 CCD and GF-1 images. The crop-type proportion for China is obtained by the GVG instrument from field transects. The area of a specific crop is computed by multiplying farmland area, planting proportion, and crop-type proportion of the crop.

To estimate crop area for wheat, soybean, maize, and rice outside China, CropWatch relies on the regression of crop area against cropped arable land fraction of each individual country (paying due attention to phenology):

$Area_i = a + b * CALF_i$

Where, a and b are the coefficients generated by linear regression with area from FAOSTAT or national sources and CALF (Cropped Arable Land Fraction) from CropWatch estimates.

Data notes and bibliography

Notes

- [1] Although Yemen is not part of the Horn of Africa (HoA), it is geographically close and maintains close links to the region. The countries of the HoA are grouped in the regional development association IGAD (Inter-governmental Authority on Development, with headquarters in Djibouti). IGAD has recently established the IGAD Drought Disaster Resilience and Sustainability Initiative (IDDRSI, 2016).
- [2] Under-investment in agriculture was one of the main drivers of the 2008 crisis of high food prices (Mittal 2009, ATV 2010), even if several other local and global triggering factors can be identified (Evans 2008).
- [3] Previous large humanitarian crises were those of the West African Sahel (from the early sixties to the mid eighties), the Ethiopian droughts of the mid-eighties, the Indian Ocean tsunami of 2004, several large earthquakes (for example, Haiti, 2010), and floods and medical emergencies (such as the West African Ebola outbreak, 2013-16).
- [4] http://www.agrhymet.ne/eng/index.html
- [5] http://www.icpac.net/
- [6] Belg is harvested before or during October.
- [7] "Purely man-made disasters" is, however, a concept that deserves a closer look, as many wars and insurgencies are partially triggered by shortages of natural resources, including land. As such, most "man-made disasters" do have an environmental component.

References

- ACT 2014 Condensed Papers of the First Africa Congress on Conservation Agriculture, 2014, Lusaka. http://www.act-africa.org/lib.php?com=5&com2=20&com3=63&com4=30&res_id=219
- Agada O O 2016 Agricultural Water Management in Sub Sahara Africa: Options for Sustainable Crop Production. Greener Journal of Agricultural Sciences, 6 (4):151-158.
 - https://www.researchgate.net/publication/308208940_Agricultural_Water_Management_in_Sub _-_Sahara_Africa_Options_for_Sustainable_Crop_Production
- Akroyd S, L Smith 2007 Public Spending to Agriculture A joint DFID / World Bank study. Main Study & Country Case-Studies. Oxford Policy Management, Oxford, UK.

http://www1.worldbank.org/publicsector/pe/pfma07/OPMReview.pdf

- ATV 2010 Recommendation report: food for all forever. Danish academy of technical sciences (ATV), Copenhagen,
- Bloomberg 2018 South Africa Plans to Declare Drought a National Disaster https://www.bloomberg.com/news/articles/2018-02-08/south-africa-plans-to-declare-drought-anational-disaster
- Buckley L, Chen Ruijian, Yin Yanfei, Zhu Zidong 2017 Chinese agriculture in Africa, Perspectives of Chinese agronomists on agricultural aid. International Institute for Environment and Development IIED and Foreign Economic Cooperation Centre (FECC) of the of the Chinese Ministry of Agriculture, http://pubs.iied.org/pdfs/17603IIED.pdf

- Christiaansen L, L Demery 2018 Agriculture in Africa : Telling Myths from Facts. Directions in Development—Agriculture and Rural Development;. Washington, DC: World Bank. © World Bank. https://openknowledge.worldbank.org/handle/10986/28543 License: CC BY 3.0 IGO.
- CropWatch 2015 New optimism for African agriculture? February 2015 CropWatch bulletin available from http://www.cropwatch.com.cn/htm/en/files/201531010955561.pdf
- CropWatch 2017a The specter of famine is back in the Horn of Africa. August 2017 CropWatch bulletin available from http://www.cropwatch.com.cn/htm/en/files/20170805en.pdf
- CropWatch 2017b Rangeland management and issues in Africa. July 2017 CropWatch bulletin available from http://www.cropwatch.com.cn/htm/en/files/20170405EN.pdf
- Deininger K, D Byerlee 2011 Rising global interest in farmland. Can it yield sustainable equitable benefits. World Bank, Washington

http://siteresources.worldbank.org/INTARD/Resources/ESW_Sept7_final_final.pdf

ECA 2009 Agricultural Input Business Development in Africa: Opportunities, Issues and Challenges, Economic Commission for Africa, southern-Africa Office. https://www.uneca.org/sites/default/files/PublicationFiles/sro-sa-agri-iputs-businessopportunities.pdf

- FAO. 2011. The state of the world's land and water resources for food and agriculture (SOLAW) Managing systems at risk. FAO Rome and Earthscan, London. http://www.fao.org/docrep/017/i1688e/i1688e00.htm
- Feed Africa 2016 Strategy for agricultural transformation in Africa. African development Bank, Tunis, Tunisia. https://www.afdb.org/fileadmin/uploads/afdb/Documents/Generic-

Documents/Feed_Africa-_Strategy_for_Agricultural_Transformation_in_Africa_2016-2025.pdf Ferguson, R., D. Krishna, Y. Mhango, A. Alexander, R. Kuzviwanza, A. Oliver, O. Mfune,

- I. Pretorius & J. Lutzweiler. 2011. African agriculture, this other Eden. Renaissance, Moscow, Russia. 220 pp. http://www.fastestbillion.com/res/Research/This_other_Eden-211111.pdf
- Fritz S, L See, I McCallum, Liangzhi You, A Bun and 42 others 2015 Mapping global cropland and field size Global Change Biology 21(5)1980-1992
- GrowAfrica 2018 https://www.growafrica.com/

Hopkins R Agriculture in Africa http://ruperthopkins.com/pdf/Agriculture%20in%20Africa%20002.pdf IRI 2015 2015 El Niño: Notes for the East African Malaria Community.

IFPRI 2016 El Niño and the Outlook for 2016. http://www.foodsecurityportal.org/el-ni%C3%B1o-andoutlook-2016

Livingston G, S Schonberger, S Delaney 2011 Sub-Saharan Africa: The state of smallholders in agriculture, Paper presented at the IFAD Conference on New Directions for Smallholder Agriculture 24-25 January, 2011, IFAD, Rome

Mittal A 2009 The 2008 Food price crisis: rethinking food security policies. G-24 Discussion Paper No. 56.

Nakweya G 2017 Africa needs to invest in agricultural censuses. https://www.scidev.net/sub-saharanafrica/agriculture/news/africa-invest-agricultural-censuses.html#

NEPAD 2013 Agriculture in Africa, Transformation and outlook.

https://www.un.org/en/africa/osaa/pdf/pubs/2013africanagricultures.pdf

- OECD-FAO 2016 Agricultural Outlook 2016-2025. INCOMPLETE
- Peel M C, B L Finlayson, T A McMahon 2007 Updated world map of the Köppen-Geiger climate classification. Hydrol. Earth Syst. Sci., 11, 1633–1644.

Reuters 2018 Commentary: In drought-hit South Africa, the politics of water.

https://www.reuters.com/article/us-saundersonmeyer-drought-commentary/commentary-indrought-hit-south-africa-the-politics-of-water-idUSKBN1FP226 RISCURA 2015 The high-level impact and ongoing effects of El Niño http://www.riscura.com/brightafrica/el-nino/impact-effects/

Siebert S, V Henrich, K Frenken, J Burke 2013 GMIA version 5, Global map or irrigated agriculture. FAO and University of Bonn.

http://www.fao.org/nr/water/aquastat/irrigationmap/gmia_v5_highres.pdf

- SOLAW 2011. The state of the world's land and water resources for food and agriculture. Managing systems at risk. FAO, Rome. http://www.fao.org/docrep/015/i1688e/i1688e00.pdf
- UNEP-UNCTAD 2008 Organic Agriculture and Food Security in Africa, UN New-York and Geneva http://www3.weforum.org/docs/WEF_ACR_2015/Africa_Competitiveness_Report_2015.pdf
- Vargas-Hill R 2010 Agricultural insurance in Sub-Saharan Africa: can it work? Paper prepared for the Fourth African Agricultural Markets Program (AAMP) policy symposium, Agricultural Risks Management in Africa: Taking Stock of What Has and Hasn't Worked, organized by the Alliance for Commodity Trade in Eastern and Southern Africa (ACTESA) and by the Common Market for Eastern and Southern Africa (COMESA). Lilongwe, Malawi, September 6-10, 2010. http://www.fsg.afre.msu.edu/aamp/sept_2010/aamp_lilongwe-vargas_hillagricultural_insurance.pdf
- Ward Christopher, R Torquebiau, Hua Xie 2016 Improved Agricultural Water Management for Africa's Drylands. World Bank Studies. Washington, DC: World Bank. doi: 10.1596/978-1-4648-0832-6. License: Creative Commons Attribution CC BY 3.0 IGO
- WEC 2015 "Africa competitiveness Report 2015, chapter 2.1 Africa" WEC, Geneva Switzerland http://www3.weforum.org/docs/WEF_ACR_2015/Africa_Competitiveness_Report_2015.pdf
- WB 2018 https://data.worldbank.org/indicator/NV.AGR.TOTL.ZS, https://data.worldbank.org/indicator/SL.AGR.EMPL.ZS
- WEF 2016 African farmers need investment but these 6 factors stand in the way. https://www.weforum.org/agenda/2016/05/6-challenges-to-investing-in-african-farmers
- WHO 2016 El Niño and health, Global overview. http://www.who.int/hac/crises/elnino/who_el_nino_and_health_global_report_21jan2016.pdf
- World Bank 2009. Awakening Africa's Sleeping Giant. Prospects for Commercial Agriculture in the Guinea Savannah Zone and Beyond. Directions in development, Agriculture and Rural Development. World Bank, Italian Ministry fo Foreign Affairs and FAO, Rome. 219 pp
- https://reliefweb.int/report/lesotho/lesotho-key-message-update-november-2017
- http://www.bbc.com/news/av/world-africa-42866178/why-cape-town-is-shutting-off-its-water-supply
- https://reliefweb.int/report/zimbabwe/zimbabwe-key-message-update-january-2018
- https://www.acaps.org/country/dominica/special-reports#container-955
- https://en.wikipedia.org/wiki/Hurricane_Irma
- https://en.wikipedia.org/wiki/Hurricane_Maria
- https://www.acaps.org/country/vietnam/special-reports#container-957
- https://en.wikipedia.org/wiki/Hurricane_Nate_(2017)
- https://reliefweb.int/report/viet-nam/aha-centre-flash-update-4-typhoon-damrey-28

https://reliefweb.int/sites/reliefweb.int/files/resources/AHA__6_Flash_Update_Typhoon_Damrey.pdf https://en.wikipedia.org/wiki/Cyclone_Ockhi

- https://reliefweb.int/sites/reliefweb.int/files/resources/DSWD%20DROMIC%20Report%20%2310A%2 0on%20TD%20URDUJA%20as%20of%2020%20December%202117%2C%208AM.pdf
- https://reliefweb.int/sites/reliefweb.int/files/resources/Summary%20of%20Response%20Clusters%20 SitRep%20No.%2007%20on%20TS%20Urduja.pdf
- https://reliefweb.int/report/viet-nam/viet-nam-typhoon-damrey-dref-operation-update-n-1mdrvn017

- https://www.acaps.org/sites/acaps/files/products/files/171228_start_acaps_briefing_note_philippine s_tropical_storm.pdf
- https://reliefweb.int/sites/reliefweb.int/files/resources/ROSEA_180110_FlashUpdate5_TropicalCyclon e_Madagascar.pdf
- https://reliefweb.int/sites/reliefweb.int/files/resources/MDRPH026_OU1.pdf
- https://reliefweb.int/sites/reliefweb.int/files/resources/171109_flash_update_inundacion_corintonoviembre_vf.pdf
- https://reliefweb.int/sites/reliefweb.int/files/resources/Peru%20deslizamiento%20en%20el%20distrit o%20de%20%20Cholon.pdf
- https://reliefweb.int/report/colombia/colombia-desplazamiento-masivo-en-alto-baud-choc-flashupdate-no-2-15112017
- https://reliefweb.int/sites/reliefweb.int/files/resources/MDRPA012dfr.pdf
- https://reliefweb.int/sites/reliefweb.int/files/resources/BOLETIN%20INFORMATIVO%20N%20607.pdf https://ec.europa.eu/jrc/sites/jrcsh/files/jrc-mars-bulletin-vol25-no11.pdf
- https://reliefweb.int/sites/reliefweb.int/files/resources/Children-on-the-Move-v.2.pdf

https://reliefweb.int/sites/reliefweb.int/files/resources/55971.pdf

- https://reliefweb.int/sites/reliefweb.int/files/resources/WCD_Data_analysis.pdf
- https://www.acaps.org/sites/acaps/files/products/files/acaps_humanitarian_overview_analysis_of_k ey_crises_into_2018.pdf
- https://reliefweb.int/report/guatemala/autoridades-atienden-m-s-de-2700-desamparados-por-fr-oen-guatemala

https://reliefweb.int/sites/reliefweb.int/files/resources/MDRMA009EPOA.pdf

Acknowledgments

This bulletin is produced by the CropWatch research team at Aerospace Information Research Institute, at the Chinese Academy of Sciences in Beijing, China. The team gratefully acknowledges the active support of a range of organizations and individuals, both in China and elsewhere.

Online resources



Online Resources posted on www.cropwatch.com.cn http://cloud.cropwatch.com.cn/

This bulletin is only part of the CropWatch resources available. Visit **www.cropwatch.com.cn** for access to additional resources, including the methods behind CropWatch, country profiles, and other CropWatch publications. For additional information or to access specific data or high-resolution graphs, simply contact the CropWatch team at **cropwatch@radi.ac.cn**.

CropWatch bulletins introduce the use of several new and experimental indicators. We would be very interested in receiving feedback about their performance in other countries. With feedback on the contents of this report and the applicability of the new indicators to global areas, please contact:

Professor Bingfang Wu

Aerospace Information Research Institute, Chinese Academy of Sciences, Beijing, China E-mail: cropwatch@radi.ac.cn, wubf@aircas.ac.cn